Safety Data Sheet

DA-103

Version: V1.0.0.1

Report No. : DA-103-01M-EN Creation Date : 2017/12/25 Revision Date : 2017/12/25





1 Identification of the chemical and supplier

Product identifier

Product Name	DA-103
Cat No.	DA-103
Synonyms	-
CAS No.	-
EC No.	-
Molecular Formula	-

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Please consult manufacturer.	
Uses advised against	Please consult manufacturer.	

Details of the supplier of the Safety Data Sheet

Name of the company	Dongguan Changlian New Materials Technology Co., Ltd		
	Songsha Road ,Xiaokeng Village Industry Park, Liaobu Town, Dongguan City,Guangdong Province		
Post code	523419		
Telephone number	0769-83215622		
Fax number	0769-83215608		
E-mail address	1695982947@qq.com		

Emergency phone number

Emergency phone number	0769-83215622

2 Hazards identification

| Hazard classification according to GHS

Aspiration Hazard	Category 2
Skin Corrosion/Irritation	Category 3

Label elements

Hazard pictograms



Signal word

Warning

DA-103 Version: V1.0.0.1 Revision Date: 2017/12/25

| Hazard statements

H305	May be harmful if swallowed and enters airways	
H316	Causes mild skin irritation	

| Precautionary statements

Prevention

Prevention	Not applicable	
◆ Response		
P331	Do NOT induce vomiting.	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
◆ Storage		
P405 Store locked up.		
◆ Disposal		
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.	

| Hazard description

Physical and chemical hazards

No information available

♦ Health hazards

Inhaled	i nanding.	
Ingestion		
Skin Contact	The product can cause mild skin irritation following direct contact with the skin.	
Еуе	This product may cause temporary discomfort following direct contact with the eye.	

◆ Environmental hazards

Please refer to 12th chapter of SDS.

3 Composition/information on ingredients

Component	Cas No.	EC No.	Concentration (weight percent, %)
AK 605-23	25035-69-2	-	32~36
Water	7732-18-5	231-791-2	64~68

4 First aid measures

DA-103 Version : V1.0.0.1 Revision Date : 2017/12/25

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

5 Firefighting measures

| Extinguishing media

Suitable extinguishing media	Use extinguishing agent suitable for type of surrounding fire.	
Unsuitable extinguishing media	No special notes.	

Specific hazards arising from the substance or mixture

- 1 Containers may explode when heated.
- 2 May expansion or decompose explosively when heated or involved in fire.

Advice for firefighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

- Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
- 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 3 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

Environmental precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

DA-103 Version : V1.0.0.1 Revision Date : 2017/12/25

Methods and materials for containment and cleaning up

- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

7 Handling and storage

Precautions for handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.

Precautions for storage

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/ hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

8 Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

Occupational Exposure	No information available
-----------------------	--------------------------

Biological limit values

Biological limit values | No information available

- Monitoring methods
- EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
- 2 GBZ/T 160.1~GBZ/T 160.81-2004 Determination of toxic substances in workplace air (Series standard).

Engineering controls

- 1 | Ensure adequate ventilation, especially in confined areas.
- 2 | Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

Personal protection equipment

General requirement













Eye protection	Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).
Hand protection	Wear protective gloves (such as butyl rubber) , passing the tests according to EN 374(EU),US F739 or AS/NZS 2161.1 standard.
Respiratory protection	if exposure limits are exceeded or it irritation or other symptoms are
Skin and body protection	Wear fire/flame resistant/retardant clothing and antistatic boots.

9 Physical and chemical properties

| Physical and chemical properties

i				
Appearance	Milky white liquid			
Odor	No special odor			
Odor threshold	No information available			
рН	> 7 (Basic)			
Melting point/freezing point(°C)	No information available			
Initial boiling point and boiling range(℃)	>35			
Flash point(Closed cup,°C)	The flash point above 93 ℃			
Evaporation rate	Difficult volatile liquid			
Flammability	Not flammable			
Upper/lower explosive limits[%(v/v)]	Upper limit : Not combustible ; Lower limit : Not combustible			
Vapor pressure	Difficult volatile liquid			
Relative vapour density(Air = 1)	Difficult volatile liquid			
Relative density(Water=1)	No information available			
Solubility(mg/L)	Slightly soluble in water			
n-octanol/water partition coefficient	No information available			
Auto-ignition temperature(°C)	Not combustible			
Decomposition temperature(°C)	No information available			
Kinematic viscosity	No information available			
Particle characteristics	Not applicable			

10 Stability and reactivity

| Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.		
Chemical stability	Stable under proper operation and storage conditions.		
	In contact with active metals (alkali metals, Na, Ca etc.) causes a reaction and release hydrogen.		
Conditions to avoid	Incompatible materials, heat, flame and spark.		
Incompatible materials	Alkali, sodium, calcium, and other active metal, halogen, metal oxide, nonmetal oxide, acyl halide and metal phosphide.		

Hazardous	Under	normal	conditions	of	storage	and	use,	hazardous	decomposition
decomposition products	products should not be produced.				ed.				·

11 Toxicological information

Acute toxicity

Acute toxicity No information available

| Carcinogenicity

ID	Cas No.	Component	IARC	NTP
1	25035-69-2	AK 605-23	Not Listed	Not Listed
2	7732-18-5	Water	Not Listed	Not Listed

Others

DA-103				
Skin corrosion/irritation	Causes mild skin irritation			
Serious eye damage/irritation	No information available			
Skin sensitization	No information available			
Respiratory sensitization	No information available			
Reproductive toxicity	No information available			
STOT-single exposure	No information available			
STOT-repeated exposure	No information available			
Aspiration hazard	May be harmful if swallowed and enters airways			
Germ cell mutagenicity	No information available			
Reproductive toxicity(additional)	No information available			

12 Ecological information

Acute aquatic toxicity

Acute aquatic toxicity No information available

Chronic aquatic toxicity

Chronic aquatic toxicity | No information available

Persistence and degradability

Component	Cas No.	Persistence (water/soil)	Persistence (air)
Water	7732-18-5	Low	Low

Bioaccumulative potential

Component	Cas No.	Bioaccumulative potential	comments
Water	7732-18-5	Low	LogKOW=-1.38

Mobility in soil

Component	Cas No.	Mobility in soil	Soil Organic Carbon-Water Partitioning Coefficient (Koc)
Water	7732-18-5	Low	14.3

Results of PBT and vPvB assessment

Component	Cas No.	Results of PBT and vPvB assessment (according to (EC) No 1907/2006)
AK 605-23	25035-69-2	not PBT/vPvB
Water	7732-18-5	not PBT/vPvB

13 Disposal considerations

Disposal considerations

Waste chemicals

Contaminated packaging
Disposal recommendations

Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.

Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.

Refer to section 13.1 and 13.2.

14 Transport information

Label and Mark

Transporting Label Not applicable

IMDG-CODE

IMDG-CODE NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

ICAO/IATA-DG

ICAO/IATA-DG | NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

UN-ADR

UN-ADR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

15 Regulatory information

International chemical inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
AK 605-23	×	√	√	√	√	√	√	✓	√
Water	√	√	√	√	√	√	√	✓	×

[EINECS] European Inventory of Existing Commercial Chemical Substances

[TSCA] United States Toxic Substances Control Act Inventory

[DSL] Canadian Domestic Substances List

【IECSC】 China Inventory of Existing Chemical Substances

[NZIoC] New Zealand Inventory of Chemicals

DA-103 Version: V1.0.0.1 Revision Date: 2017/12/25

FRECCO 1	B1 111 1 T	(6) 1 1 161 1 161 1
I PICCS I	Philippines Inventory	of Chemicals and Chemical Substances

[KECI] Existing and Evaluated Chemical Substances[AICS] Australia Inventory of Chemical Substances[ENCS] Existing And New Chemical Substances

Note

" $\sqrt{}$ " Indicates that the substance included in the regulations

"x" That no data or included in the regulations

16 Others

Information on revision

Creation Date	2017/12/25
Revision Date	2017/12/25
Reason for revision	-

Reference

[1]IPCS:The International Chemical Safety Cards (ICSC) ,website: http://www.ilo.org/dyn/icsc/showcard.home.

[2]IARC , website: http://www.iarc.fr/.

[3]OECD: The Global Portal to Information on Chemical Substances, website:

http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en.

[4]CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.

[5]NLM:ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.

[6]EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.

[7]U.S. Department of Transportation:ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.

[8]Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

| Abbreviations and acronyms

CAS – Chemical Abstracts Service CMR - Carcinogens, mutagens or substances toxic to reproduction

PC-STEL- Short term exposure limit PC-TWA - Time Weighted Average

DNEL - Derived No Effect Level IARC - International Agency for Research on Cancer

RPE - Respiratory Protective Equipment **PNEC** – Predicted No Effect Concentration

LC₅₀ - Lethal Concentration 50% **LD**₅₀ - Lethal Dose 50%

NOEC -No Observed Effect Concentration **EC**₅₀ - Effective Concentration 50%

PBT - Persistent, Bioaccumulative, Toxic **POW** - Partition coefficient Octanol:Water

BCF - Bioconcentration factor (BCF) vPvB - very Persistent, very Bioaccumulative

IMDG-International Maritime Dangerous Goods ICAO/IATA-International Civil Aviation Organization/International Air

Transportation Association

UN-The United Nations ACGIH-American Conference of Governmental Industrial Hygienists

NFPA-National Fire Protection Association OECD-Organization for Economic Co-operation and Development

Disclaimer

DA-103

Version: V1.0.0.1 Revision Date: 2017/12/25

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 7th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.