

Material Safety Data Sheet

ADD: Tianraobu Industry district, Hengli Town, Dongguan, Guangdong, China Tel: (86 769) 81002085 Fax: (86 769) 81002075

Last Revision Date: 2018/06/11 Version No.: GHS 1.0

TEXTILE SCREEN PRINTING LIQUID SILICONE RUBBER

1. IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY

1.1 **Product Name:** Round silicone

1.2Product Code: DS-8620

1.3 Chemical Clarification: Liquid Silicone Rubber 1.4 Recommend Product Usage: Screen Printing Process

1.5 Company Introduction:

Manufacturer/Supplier: DONGGUAN DESHARE NEW MATERTAL

TECHNOLOGY CO.,LTD

Address: Tianraobu Industry District, Hengli Town,

Dongguan, Guangdong, China

Telephone Number:(86 769) 81002085Fax(86 769) 81002075EmergencyTel NO.:(86 769) 81002085

Contact: Manager of environment, health and safety

2. COMPOSITION / INFORMATION ON INGREDIENTS

2.1 Chemical Clarification: Mixture2.2 Physical Appearance: Paste

2.3 Color: Transparent

2.4 Main Usage: Textile screen printing

2.5 Hazard Classification: Not Hazardous

2.6 Composition on Ingredients

Chemical Name CAS NO. % (W/W)

Vinylmethyl siloxane 131298-48-1 78%

homopolymer

Fumed silica 112945-52-5 22% Chloroplatinic acid 16941-12-1 0.1%

According to European Commission Directive 1999/45/EC (Article 3[3])

3. HAZARD IDENTIFICATION

3.1 Hazard Clarification: None

3.2 Label Elements Including



Material Safety Data Sheet

ADD: Tianraobu Industry district, Hengli Town, Dongguan, Guangdong, China Tel: (86 769) 81002085 Fax: (86 769) 81002075

Last Revision Date: 2018/06/11 Version No.: GHS 1.0

TEXTILE SCREEN PRINTING LIQUID SILICONE RUBBER

Precautionary Statements

Symbol: None

3.3 Precautionary Statement: Avoid contact with skin and eyes.

3.4 Health Influence:

Emergency

Eyes: Direct contact cause instant redness and

Skin: uncomfortable eyes

Inhalation: No serious effect within a period of time. Ingestion: No serious effect within a period of time.

Only trace intake under ordinary situation.

Chronic Influence

Skin:

Inhalation: Not Detected

Not Detected

Ingestion: Frequent and bulk ingestion cause inner harm.

3.5 Frequent ingestion effect: Single exposure cause no hazardous effect.

4. First Aid Measures

4.1 Eyes: Immediately flush with water.
4.2 Skin: No first aid should be needed.
4.3 Inhalation: No first aid should be needed.
4.4 Oral: Get medical attention.

4.5 Comments: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

5.1 Suitable Extinguishing On large fires use dry chemical, foam or water

Media: spray. On small fires use carbon dioxide (CO2),

dry chemical or water spray. Water can be used

to cool fire exposed containers.

5.2Unsuitable Extinguishing None established.

Media:

5.3 Specific Hazards: None



Material Safety Data Sheet

ADD: Tianraobu Industry district, Hengli Town, Dongguan, Guangdong, China Tel: (86 769) 81002085 Fax: (86 769) 81002075

Last Revision Date: 2018/06/11 Version No.: GHS 1.0

TEXTILE SCREEN PRINTING LIQUID SILICONE RUBBER

5.4Spc	ecial Fire	Fighting	Determine the need to evacuate or isolate the
Proce	dures:		area according to your local emergency plan.
			Use water spray to keep fire exposed containers
			cool.
5.5	Special	protective	Self-contained breathing apparatus and
equipment for the Fire Fighters:			protective clothing should be worn in fighting
			large fires involving chemicals.
5.6 Da	ingerous Featu	res:	None

6. ACCIDENTAL RELEASE MEASURES			
6.1 Personal Precautions:	Avoid eye contact. Do not take internally.		
6.2 Environmental	Prevent from spreading or entering into drains		
Precautions:	ditches or rivers by using sand, earth or othe		
	appropriate barriers		
6.3 Methods for Cleaning up:	Determine whether to evacuate or isolate the area		
5 -	according to your local emergency plan.		
	Observe all personal protective equipment		
	recommendations described in this MSDS. If		
	diked material can be pumped, store recovered		
	material in appropriate container. Clean up		
	remaining materials from spill with suitable		
	absorbant. Clean area as appropriate since		
	spilled materials, even in small quantities, may		
	present a slip hazard. Final cleaning may		
	require use of steam, solvents or detergents.		
	Dispose of saturated absorbant or cleaning		
	materials appropriately, since spontaneous heating		
	may occur. Laws and regulations may		
	apply to releases and disposal of this material, as		
	well as those materials and items		
	employed in the cleanup of releases. You will need		
	to determine which laws and		
	regulations are applicable.		



Material Safety Data Sheet

ADD: Tianraobu Industry district, Hengli Town, Dongguan, Guangdong, China Tel: (86 769) 81002085 Fax: (86 769) 81002075

Last Revision Date: 2018/06/11 Version No.: GHS 1.0

TEXTILE SCREEN PRINTING LIQUID SILICONE RUBBER

7. HANDLING AND STORAGE

7.1Handling Precautions: Use with adequate ventilation. Avoid eye contact.

Do not take internally. Exercise good industrial hygiene practice. Wash after handling, especially

before eating, drinking or smoking.

7.2 Storage Conditions: Use reasonable care and store away from oxidizing

materials.

7.3UnsuitablePacking

Materials:

Not Established

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Engineering Controls

Local Ventilation: None should be needed.

General Ventilation: Recommended.

8.2 Personal Protective

Equipment for Routine

Handling

Respiratory protection: No respiratory protection should be needed.

Suitable Respirator: None should be needed.

Eye protection: Use proper protection - safety glasses as a

minimum.

Hand protection: No special protection needed.

Skin protection: Washing at mealtime and end of shift is adequate.

Hygiene Measures: Exercise good industrial hygiene practice. Wash

after handling, especially before eating, drinking or

smoking.

8.3 Personal Protective

Equipment for Spills

Respiratory protection: No respiratory protection should be needed.

Eye protection: Use proper protection - safety glasses as a

minimum.



Material Safety Data Sheet

ADD: Tianraobu Industry district, Hengli Town, Dongguan, Guangdong, China Tel: (86 769) 81002085 Fax: (86 769) 81002075

Last Revision Date: 2018/06/11 Version No.: GHS 1.0

TEXTILE SCREEN PRINTING LIQUID SILICONE RUBBER

Skin protection: Washing at mealtime and end of shift is adequate. **Precautionary Measures:** Avoid eye contact. Do not take internally. Use

reasonable care.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Physical Form: Viscous Paste9.2 Color: Translucent white

9.3 Odor: Odorless

9.4 pH: Not determined.9.5 Melting Point: Not determined.

9.6 Boiling point/range: > 100 °C

9.7 Flash Point: > 100 °C(Closed Cup)

9.8 Explosive Limit: Not determined.
9.9 Vapor Pressure @ 25°C: Not determined.
9.10 Vapour Density (air=1): Not determined.

9.11 Specific Gravity: 1.1 g/cm³

9.12 Water Solubility: Not determined.

9.13 Partition Coefficient

(n-Octanol/Water): Not determined.

9.14 Autoignition

temperature: Not determined.

9.15 Decomposition

Temperature:9.16 Odor Threshold:
9.17 Evaporation Rate:
Not determined.
Not determined.

9.18 Flammability (Solid,

Gas): Not applicable.

The above information is not intended for use in preparing product specifications. Contact DONGGUAN DESHARE NEW MATERIAL TECHNOLOGY CO.,LTD before writing specifications.

10. STABILITY AND REACTIVITY

10.1 Stability: Stable.

10.2 Possibility of Hazardous Hazardous polymerization will not occur.



Material Safety Data Sheet

ADD: Tianraobu Industry district, Hengli Town, Dongguan, Guangdong, China Tel: (86 769) 81002085 Fax: (86 769) 81002075

Last Revision Date: 2018/06/11 Version No.: GHS 1.0

TEXTILE SCREEN PRINTING LIQUID SILICONE RUBBER

Reactions:

10.3 Conditions to Avoid: None.

10.4 Materials to Avoid: Can react with strong oxidising agents.

10.5 Hazardous Decomposition

Products: Carbon oxides and traces of incompletely burned

carbon compounds. Silicon dioxide.

Formaldehyde.

Reactions: Hazardous polymerization will not occur.

11. TOXICOLOGICAL INFORMATION

11.1 Route of Exposure: Inhalation, skin contact and accidental ingestion.

11.2 Signs and Symptoms of

Overexposure: No significant adverse effects from normal use.

Eyes: Direct contact may cause temporary redness and

discomfort.

Skin: No significant irritation expected from a single

short-term exposure.

Ingestion: Low ingestion hazard in normal use.

Inhalation: No significant effects expected from a single

short-term exposure

11.3 Chronic Toxicity

Skin: No known applicable information

Ingestion: Repeated ingestion or swallowing large amounts

may injure internally

Inhalation: No known applicable information.

11.4 Other Health Hazard

Information: No known applicable information.

12. ECOLOGICAL INFORMATION

12.1 Aquatic and Terrestrial

Ecotoxicity





Material Safety Data Sheet

ADD: Tianraobu Industry district, Hengli Town, Dongguan, Guangdong, China Tel: (86 769) 81002085 Fax: (86 769) 81002075

Last Revision Date: 2018/06/11 Version No.: GHS 1.0

TEXTILE SCREEN PRINTING LIQUID SILICONE RUBBER

Ecotoxicity Effects:

Acute: No adverse effects on aquatic organisms.

Chronic: No adverse effects on aquatic organisms.

Fate and Effects in Waste

Water Treatment Plants: No adverse effects on bacteria. Removed > 90% by

binding onto sewage sludge. The siloxanes in this

product do not contribute to the BOD.

12.2 Persistence and

Degradability In soil, siloxanes are degraded.

Degradation:

12.3 Bioaccumulative

Potential

Bioaccumulation: No bioaccumulation potential

12.4 Mobility in Soil: Siloxanes are removed from water by

sedimentation or binding to sewage sludge.

12.5 Additional Environmental

Information: Additional environmental information on the

silicone component is available on request.

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations.

Dispose of in accordance with local regulations.

Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

14.1 **Road and Rail Transport:** Not applicable.

14.2 SEA TRANSPORT(IMDE) : Not subject to IMDG code.

14.3 AIR TRANSPORT(IATA): Not subject to IATA regulations.

15. REGULATORY INFORMATION

15.1 **Applicable Laws:** Provisions of the Regulations for the Safe

Handling of Chemicals in the Workplace. General





Material Safety Data Sheet

ADD: Tianraobu Industry district, Hengli Town, Dongguan, Guangdong, China Tel: (86 769) 81002085 Fax: (86 769) 81002075

Last Revision Date: 2018/06/11 Version No.: GHS 1.0

TEXTILE SCREEN PRINTING LIQUID SILICONE RUBBER

rule for classification and hazard communication

of chemicals [GB 13690-2009]

15.2 Chemical Inventories:

AICS: All ingredients listed or exempt.

DSL: All chemical substances in this material are

included on or exempted from the DSL

All ingredients listed or exempt.

MITI: All ingredients listed or exempt.

KECL: All ingredients listed, exempt or notified.

EINECS: All ingredients listed or exempt.

PICCS: All ingredients listed or exempt.

TSCA: All chemical substances in this material are

included on or exempted from listing on the TSCA

Inventory of Chemical Substances.

16. OTHER INFORMATION

16.1 Contact Point: Technical Information Center (86 769) 81002085,

18128009319

16.2 Prepared by: DONGGUAN DESHARE NEW MATERTAL TECHNOLOGY

CO.,LTD

Legend:

- No specific information available

This information is offered in good faith as typical values and not as a product specification. No warranty, expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable.

However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

(R) indicates Registered Trademark