Safety Data Sheet PC-600

Version : V1.0.0.1 Report No. : PC-600-01M Creation Date : 2018/05/15 Revision Date : 2018/05/15



*Prepared according to UN GHS (the 7th revised edition)

1 Identification of the chemical and supplier

Product identifier

Product Name	PC-600
Cat No.	PC-600
Synonyms	-
CAS No.	-
EC No.	-
Molecular Formula	-

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Please consult manufacturer.	
Uses advised against	Please consult manufacturer.	

Details of the supplier of the Safety Data Sheet

Name of the company	Dongguan Changlian New Materials Technology Co., Ltd		
Address of the company	Songsha Road ,Xiaokeng Village Industry Park, Liaobu Town, Dongguan City,Guangdong Province		
Post code	523419		
Telephone number	0769-83215622		
Fax number	0769-83215608		
E-mail address	1695982947@qq.com		

Emergency phone number

Emergency phone number 0769-83215622

2 Hazards identification

Hazard classification according to GHS

Serious Eye Damage/Irritation

Label elements

Hazard pictograms	L.
Signal word	Danger

Hazard statements

H318 Causes serious eye damage

Precautionary statements

Prevention

P280	Wear protective gloves/protective clothing/eye protection/face protection.
 Response 	
P310	Immediately call a POISON CENTER/doctor.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
♦ Storage	
Storage	Not applicable
 Disposal 	
Disposal	Not applicable
Hazard description	

Physical and chemical hazards

nazaras
No information available

Health hazards

Inhaled	Inhalation of the product may produce adverse health effects or irritation of the respiratory tract following discomfort.
Ingestion	Accidental ingestion of the product may be harmful to the health of the individual.
Skin Contact	Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.
Еуе	The product can produce severe chemical burns to the eye following direct contact.

Environmental hazards

Please refer to 12th chapter of SDS.

3 Composition/information on ingredients

Component	Cas No.	EC No.	Concentration (weight percent, %)
End closed isocyanate	-	-	5~20
Alcohols, C12-18, ethoxylated	68213-23-0	500-201-8	2~5
Water	7732-18-5	231-791-2	75~90

4 First aid measures

Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

1 Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

- **1** Treat symptomatically.
- 2 Symptoms may be delayed.

5 Firefighting measures

Extinguishing media

Suitable extinguishing media	Use extinguishing agent suitable for type of surrounding fire.
Unsuitable extinguishing media	No special notes.

Specific hazards arising from the substance or mixture

1	Containers may explode when heated.
2	May expansion or decompose explosively when heated or involved in fire.

Advice for firefighters

1	As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
2	Fight fire from a safe distance, with adequate cover.
3	Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.	
= Indedde personner to safe dread, heep people drag non and aprinte or spin/reak.	
3 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.	

Environmental precautions

- **1** Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.

2 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws

	and	regu	lations.	
--	-----	------	----------	--

3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

7 Handling and storage

Precautions for handling

1	Handling is performed in a well ventilated place.	
2	Wear suitable protective equipment.	
3	Avoid contact with skin and eyes.	
4	Keep away from heat/sparks/open flames/ hot surfaces.	

Precautions for storage

1	Keep containers tightly closed.

- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

8 Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

Occupational Exposure limit values	No information available
---------------------------------------	--------------------------

Biological limit values

Biological limit values No information available

Monitoring methods

1 EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessm of exposure to chemical and biological agents.

2 GBZ/T 160.1~GBZ/T 160.81-2004 Determination of toxic substances in workplace air (Series standard).

Engineering controls

1	Ensure adequate ventilation, especially in confined areas.
2	Ensure that eyewash stations and safety showers are close to the workstation location.
3	Use explosion-proof electrical/ventilating/lighting/equipment.
4	Set up emergency exit and necessary risk-elimination area.

Personal protection equipment

General requirement



Eye protection	Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).
Hand protection	Wear protective gloves(such as butyl rubber), passing the tests according to EN 374(EU), US F739 or AS/NZS 2161.1 standard.
Respiratory protection	If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or

	type AXBEK (EN 14387) respirator cartridges.
Skin and body protection	Wear fire/flame resistant/retardant clothing and antistatic boots.

9 Physical and chemical properties

Physical and chemical properties

Appearance	Milk white sticky liquid	
Odor	No special odor	
Odor threshold	No information available	
рН	No information available	
Melting point/freezing point(°C)	No information available	
Initial boiling point and boiling range(°C)	>35	
Flash point(Closed cup,℃)	The flash point above 93 $^\circ\!\mathrm{C}$	
Evaporation rate	No information available	
Flammability	Not flammable	
Upper/lower explosive limits[%(v/v)]	Upper limit : Not combustible ; Lower limit : Not combustible	
Vapor pressure	No information available	
Relative vapour density(Air = 1)	No information available	
Relative density(Water=1)	No information available	
Solubility(mg/L)	Slightly soluble in water	
n-octanol/water partition coefficient	No information available	
Auto-ignition temperature(°C)	No information available	
Decomposition temperature(°C)	No information available	
Kinematic viscosity	No information available	
Particle characteristics	Not applicable	

10 Stability and reactivity

Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous reactions	In contact with active metals (alkali metals, Na, Ca etc.) causes a reaction and release hydrogen.
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	Alkali, sodium, calcium, and other active metal, halogen, metal oxide, nonmetal oxide, acyl halide and metal phosphide.
Hazardous	Under normal conditions of storage and use, hazardous decomposition
decomposition products	products should not be produced.

11 Toxicological information

Acute toxicity

Acute toxicity No information available

Carcinogenicity

ID	Cas No.	Component	IARC	NTP
1	-	End closed isocyanate	Not Listed	Not Listed
2	68213-23-0	Alcohols, C12-18, ethoxylated	Not Listed	Not Listed
3	7732-18-5	Water	Not Listed	Not Listed

Others

PC-600				
Skin corrosion/irritation	No information available			
Serious eye damage/irritation	Causes serious eye damage(Category 1)			
Skin sensitization	No information available			
Respiratory sensitization	No information available			
Reproductive toxicity	No information available			
STOT-single exposure	No information available			
STOT-repeated exposure	No information available			
Aspiration hazard	No information available			
Germ cell mutagenicity	No information available			
Reproductive toxicity(additional)	No information available			

12 Ecological information

Acute aquatic toxicity

Acute aquatic toxicity No information available

Chronic aquatic toxicity

Chronic aquatic toxicity	No information available
--------------------------	--------------------------

Persistence and degradability

Component	Cas No.	Persistence (water/soil)	Persistence (air)	
Water	7732-18-5	Low	Low	

Bioaccumulative potential

Component	Cas No.	Bioaccumulative potential	comments
Water	7732-18-5	Low	LogKOW=-1.38

Mobility in soil

Component Cas No. Mobility in soil Soil Organic Carbon-Water	
---	--

			Partitioning Coefficient (Koc)
Water	7732-18-5	Low	14.3

Results of PBT and vPvB assessment

Component	Cas No.	Results of PBT and vPvB assessment (according to (EC) No 1907/2006)
Alcohols, C12-18, ethoxylated	68213-23-0	not PBT/vPvB
Water	7732-18-5	not PBT/vPvB

13 Disposal considerations

Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.
	Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section 13.1and 13.2.

14 Transport information

Label and Mark

Transporting Label Not applicable

IMDG-CODE

IMDG-CODE NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

ICAO/IATA-DG

ICAO/IATA-DG NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

UN-ADR

UN-ADR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

15 Regulatory information

International chemical inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
End closed isocyanate	×	×	×	×	×	×	×	×	×
Alcohols, C12-18, ethoxylated	~	√	√	√	√	√	√	√	×
Water	~	√	√	√	√	√	√	√	×

[EINECS] European Inventory of Existing Commercial Chemical Substances

[TSCA] United States Toxic Substances Control Act Inventory

[DSL] Canadian Domestic Substances List

[IECSC] China Inventory of Existing Chemical Substances

[NZIOC] New Zealand Inventory of Chemicals

[PICCS] Philippines Inventory of Chemicals and Chemical Substances

【KECI】	Existing and Evaluated Chemical Substances
[AICS]	Australia Inventory of Chemical Substances
[ENCS]	Existing And New Chemical Substances

Note

" $\sqrt{}$ " Indicates that the substance included in the regulations

" \times " That no data or included in the regulations

16 Others

Information on revision

Creation Date	2018/05/15
Revision Date	2018/05/15
Reason for revision	-

Reference

[1]IPCS:The International Chemical Safety Cards (ICSC) ,website: <u>http://www.ilo.org/dyn/icsc/showcard.home</u>.

[2]IARC , website: <u>http://www.iarc.fr/</u>.

[3]OECD: The Global Portal to Information on Chemical Substances, website:

http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en.

[4]CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.

[5]NLM:ChemIDplus, website: <u>http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp</u>.

[6]EPA: Integrated Risk Information System, website: <u>http://cfpub.epa.gov/iris/</u>.

[7]U.S. Department of Transportation:ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.

[8]Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

Abbreviations and acronyms

CAS –Chemical Abstracts Service	CMR - Carcinogens, mutagens or substances toxic to reproduction
PC-STEL- Short term exposure limit	PC-TWA - Time Weighted Average
DNEL - Derived No Effect Level	IARC - International Agency for Research on Cancer
RPE - Respiratory Protective Equipment	PNEC – Predicted No Effect Concentration
LC ₅₀ - Lethal Concentration 50%	LD ₅₀ - Lethal Dose 50%
NOEC -No Observed Effect Concentration	EC ₅₀ - Effective Concentration 50%
PBT - Persistent, Bioaccumulative, Toxic	POW - Partition coefficient Octanol:Water
BCF - Bioconcentration factor (BCF)	vPvB - very Persistent, very Bioaccumulative
IMDG-International Maritime Dangerous Goods	ICAO/IATA-International Civil Aviation Organization/International Air Transportation Association
UN-The United Nations	ACGIH-American Conference of Governmental Industrial Hygienists
NFPA-National Fire Protection Association	OECD-Organization for Economic Co-operation and Development

Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 7th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was

based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.