Safety Data Sheet

PC-600

Report No.: PC600-01M Creation Date: 2019/04/23



*Prepared according to UN GHS (the 7th revised edition)

Identification of the chemical and supplier

Product identifier

Product Name	PC-600
Cat No.	PC-600
Synonyms	-
CAS No.	-
EC No.	-
Molecular Formula	-

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

Details of the supplier of the Safety Data Sheet

Name of the company	Dongguan Changlian New Materials Technology Co., Ltd
	Songsha Road ,Xiaokeng Village Industry Park, Liaobu Town, Dongguan City,Guangdong Province
Post code	523419
Telephone number	0769-83215622
Fax number	0769-83215608
E-mail address	1695982947@qq.com

| Emergency phone number

Emergency phone number	0769-83039863

2 Hazards identification

| Hazard classification according to GHS

Aspiration Hazard	Category 2
Serious Eye Damage/Irritation	Category 2A

Label elements

Hazard pictograms



Signal word

| Hazard statements

H305	May be harmful if swallowed and enters airways
H319	Causes serious eye irritation

| Precautionary statements

Prevention

P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Response

P331	Do NOT induce vomiting.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor
P337+P313	If eye irritation persists: Get medical advice/attention.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage

1 403 Store locked up.	P405	Store locke	d up.
--------------------------	------	-------------	-------

Disposal

DE01	Dispose	of	contents/container	in	accordance	with	local/regional/national/
P301	internation	ona	l regulations.				

| Hazard description

Physical and chemical hazards

l NIA	intor	mation	avail	ahla
1111	ппп	шансп	ı avan	аин

♦ Health hazards

Inhaled	May be harmful if swallowed and enters airways during the course of normal handling.
	Accidental ingestion of the product may be harmful to the health of the individual.
Skin Contact	Entry into the blood-stream, through, for example, cuts, abrasions or lesions
Еуе	This product may cause serious eye irritation. Severe inflammation may be expected with pain following direct contact with the eye.

◆ Environmental hazards

Please refer to 12th chapter of SDS.
l

3 Composition/information on ingredients

Component	Cas No.	EC No.	Concentration (weight percent, %)
Polyurethane fixing agent	144245-98-7	-	5~20
Alcohols, C12-18, ethoxylated	68213-23-0	500-201-8	2~5

Water	7732-18-5	231-791-2	75~90

4 First aid measures

Description of first aid measures

General advice	General advice Immediate medical attention is required. Show this safety data sheet (SDS the doctor in attendance.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.	
Skin contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.	
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.	
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.	
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.	

Most important symptoms and effects, both acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

5 Firefighting measures

| Extinguishing media

Suitable extinguishing media	Use extinguishing agent suitable for type of surrounding fire.
Unsuitable extinguishing media	No special notes.

Specific hazards arising from the substance or mixture

- 1 Containers may explode when heated.
- 2 May expansion or decompose explosively when heated or involved in fire.

Advice for firefighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

- Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
- 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 3 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

Environmental precautions

- Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- Adhered or collected material should be promptly disposed of, in accordance with appropriate laws 2 and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

7 Handling and storage

Precautions for handling

- Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.

Precautions for storage

- Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.
- Store away from incompatible materials and foodstuff containers.

8 Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

No info	Occupational Exposure limit values
140 11110	limit values

ormation available

Biological limit values

Biological limit values | No information available

- Monitoring methods
- EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment 1 of exposure to chemical and biological agents.
- 2 GBZ/T 160.1~GBZ/T 160.81-2004 Determination of toxic substances in workplace air (Series standard).

Engineering controls

- Ensure adequate ventilation, especially in confined areas.
- Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

Personal protection equipment

General requirement			
Eye protection	Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).		
Hand protection	Wear protective gloves (such as butyl rubber), passing the tests according to EN 374(EU), US F739 or AS/NZS 2161.1 standard.		
Respiratory protection	If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges.		
Skin and body protection	Wear fire/flame resistant/retardant clothing and antistatic boots.		

9 Physical and chemical properties

| Physical and chemical properties

<u> </u>	<u> </u>	
Appearance	White liquid	
Odor	Slight odor	
Odor threshold	No information available	
рН	> 7 (Basic)	
Melting point/freezing point(°C)	No information available	
Initial boiling point and boiling range(°C)	>35	
Flash point(Closed cup,°C)	The flash point above 93 ℃	
Evaporation rate	Difficult volatile liquid	
Flammability	Not flammable	
Upper/lower explosive limits[%(v/v)]		
Vapor pressure	Difficult volatile liquid	
Relative vapour density(Air = 1)	Difficult volatile liquid	
Relative density(Water=1)	No information available	
Solubility(mg/L)	Miscible with water	
n-octanol/water partition coefficient	No information available	
Auto-ignition temperature(°C)	Not combustible	
Decomposition temperature(°C)	No information available	
Kinematic viscosity	No information available	
Particle characteristics	Not applicable	

10 Stability and reactivity

| Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.	
Chemical stability	Stable under proper operation and storage conditions.	

Possibility of hazardous reactions	No information available		
Conditions to avoid	Incompatible materials, heat, flame and spark.		
Incompatible materials	No information available		
Hazardous	Under normal conditions of storage and use, hazardous decomposition		
decomposition products	products should not be produced.		

11 Toxicological information

| Acute toxicity

| Carcinogenicity

ID	Cas No.	Component	IARC	NTP
1	144245-98-7	Polyurethane fixing agent	Not Listed	Not Listed
2	68213-23-0	Alcohols, C12-18, ethoxylated	Not Listed	Not Listed
3	7732-18-5	Water	Not Listed	Not Listed

Others

PC-600			
Skin corrosion/irritation	No information available		
Serious eye damage/irritation	Causes serious eye irritation(Category 2A)		
Skin sensitization	No information available		
Respiratory sensitization	No information available		
Reproductive toxicity	No information available		
STOT-single exposure	No information available		
STOT-repeated exposure	No information available		
Aspiration hazard	May be harmful if swallowed and enters airways		
Germ cell mutagenicity	No information available		
Reproductive toxicity(additional)	No information available		

12 Ecological information

Acute aquatic toxicity

• • •	
Acute aquatic toxicity	No information available

| Chronic aquatic toxicity

Chronic aquatic toxicity No information available

Results of PBT and vPvB assessment

Component	Cas No.	Results of PBT and vPvB assessment (according to (EC) No 1907/2006)		
Polyurethane fixing agent	144245-98-7	not PBT/vPvB		

Water	7732-18-5	not PBT/vPvB
Alcohols, C12-18, ethoxylated	68213-23-0	not PBT/vPvB

13 Disposal considerations

Disposal considerations

Waste chemicals
Contaminated
packaging
Disposal
recommendations

Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.

Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.

Refer to section 13.1 and 13.2.

14 Transport information

Label and Mark

Transporting Label

Not applicable

IMDG-CODE

IMDG-CODE

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

ICAO/IATA-DG

ICAO/IATA-DG

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

UN-ADR

UN-ADR

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

15 Regulatory information

International chemical inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Polyurethane fixing agent	×	×	×	√	×	×	×	×	×
Alcohols, C12-18, ethoxylated	√	√	√	√	√	√	√	√	×
Water	√	√	√	√	√	√	√	√	×

[EINECS] European Inventory of Existing Commercial Chemical Substances

【TSCA】 United States Toxic Substances Control Act Inventory

[DSL] Canadian Domestic Substances List

【IECSC】 China Inventory of Existing Chemical Substances

[NZIoC] New Zealand Inventory of Chemicals

[PICCS] Philippines Inventory of Chemicals and Chemical Substances

[KECI] Existing and Evaluated Chemical Substances

[AICS] Australia Inventory of Chemical Substances

[ENCS] Existing And New Chemical Substances

Note

" $\sqrt{}$ " Indicates that the substance included in the regulations

"x" That no data or included in the regulations

16 Others

Information on revision

Creation Date	2019/04/23
Revision Date	2019/05/08
Reason for revision	-

Reference

[1]IPCS:The International Chemical Safety Cards (ICSC) ,website: http://www.ilo.org/dyn/icsc/showcard.home.

[2]IARC , website: http://www.iarc.fr/.

[3]OECD: The Global Portal to Information on Chemical Substances, website:

http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en.

[4]CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.

[5]NLM:ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.

[6]EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.

[7]U.S. Department of Transportation:ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.

[8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

Abbreviations and acronyms

CAS –Chemical Abstracts Service	CMR - Carcinogens, mutagens or substances toxic to reproduction
---------------------------------	---

PC-STEL- Short term exposure limit PC-TWA - Time Weighted Average

DNEL - Derived No Effect Level IARC - International Agency for Research on Cancer

RPE - Respiratory Protective Equipment PNEC – Predicted No Effect Concentration

LC₅₀ - Lethal Concentration 50% LD₅₀ - Lethal Dose 50%

NOEC -No Observed Effect Concentration EC₅₀ - Effective Concentration 50%

PBT - Persistent, Bioaccumulative, Toxic POW - Partition coefficient Octanol:Water

BCF - Bioconcentration factor (BCF) **vPvB** - very Persistent, very Bioaccumulative

IMDG-International Maritime Dangerous Goods ICAO/IATA-International Civil Aviation Organization/International Air

Transportation Association

UN-The United Nations **ACGIH**-American Conference of Governmental Industrial Hygienists

NFPA-National Fire Protection Association

OECD-Organization for Economic Co-operation and Development

Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 7th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.